MATERIAL SAFETY DATA SHEET

MASK & SEAL Page: 1

PRODUCT NAME: MASK & SEAL HMIS CODES: H F R P

PROCUCT CODE: 0290-0292

======= SECTION I - MANUFACTURER IDENTIFICATION ============

MANUFACTURER'S NAME: JASCO Chemical Corp.

ADDRESS: 1008 N. Fuller St.

Santa Ana, CA. 92701

EMERGENCY PHONE : 800-424-9300 **DATE PRINTED** : 6/01 **INFORMATION PHONE** : (714) 547-6951 **NAME OF PREPARER** : RE

====== SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION ===========

VAPOR PRESSURE WEIGHT

REPORTABLE COMPONENTS CAS NUMBER mm Hg @ TEMP PERCENT

NO REPORTABLE QUANTITIES OF HAZARDOUS INGREDIENTS ARE PRESENT

*** No toxic chemical (s) subject to the reporting requirements of section 313 of Title III of 40 CFR 372 are present. *** No information available.

========== SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS ===============

BOILING RANGE: 212 DEG.F **SPECIFIC GRAVITY (H2O=1):** 1.07

VAPOR DENSITY: HEAVIER THAN AIR EVAPORATION RATE: SLOWER THAN ETHER

COATING V.O.C.: 28.8 g/L

SOLUBILITY IN WATER: SOLUBLE

APPEARANCE AND ODOR: MILKY WHITE LIQUID

======== SECTION IV - FIRE AND EXPLOSION HAZARD DATA ================

FLASH POINT: NONE METHOD USED: N/A

FLAMMABLE LIMITS IN AIR BY VOLUME- LOWER: N/A UPPER: N/A

EXTINGUISHING MEDIA: WATER FOG

SPECIAL FIREFIGHTING PROCEDURES

POLYMER FILM CAN BURN. FIREFIGHTERS SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING WHEN FIGHTING FIRES.

UNUSUAL FIRE AND EXPLOSION HAZARDS

NONE ESTABLISHED.

STABILITY: STABLE CONDITIONS TO AVOID

HIGH TEMPERATURE ABOVE 177°C/350°F

INCOMPATIBILITY (MATERIALS TO AVOID)

STRONG OXIDIZING AGENTS.

MATERIAL SAFETY DATA SHEET

MASK & SEAL Page: 2

HAZARDOUS DECOMPOSITION OR BYPRODUCT

THERMAL OXIDATION MAY YIELD VINYL ACRYLIC MONOMERS.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

HEADACHE, NAUSEA, IRRITAITO OF NOSE, THROAT AND LUNGS.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE

SLIGHT IRRITATION OF SKIN OR EYES.

SKIN ABSORPATION HEALTH RISKS AND SYMPTONS OF EXPOSURE

N/A

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

INGESTION MAY LEAD TO NAUSEA OR VOMITING.

HEALTH HAZARDS (ACUTE AND CHRONIC)

RESPIRATORY, SKIN AND EYE IRRITATION MAY OCCUR.

CARCINOGENICITY: NTP CARCINOGEN: NO IARC MONOGRAPHS: NO OSHA REGULATED: NO

THIS PRODUCT IS NOT LISTED IN THE NTP, IARC OR OSHA LISTS FOR CARCINOGENICITY.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE

SOME SKIN ALLERGIES AND/OR RESPIRATORY PROBLEMS.

EMERGENCY AND FIRST AID PROCEDURES

INHALATION: MOVE SUBJECT TO FRESH AIR. EYES: FLUSH WITH WATER FOR AT LEAST 15 MINUTES. CONSULT A PHYSICIAN IF IRRITATION PERSISTS. SKIN: WASH WITH SOAP AND WATER. INGESTION: IF SWALLOWED, GIVE 2 GLASSES OF WATER. CONSULT A PHYSICIAN.

======= SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE ====================

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

CONTAIN AND ABSORB WITH INERT MATERIAL.

WASTE DISPOSAL METHOD

DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

KEEP CONTAINER CLOSED WHEN NOT IN USE.

OTHER PRECAUTIONS

NONE KNOWN.

MASK & SEAL	MAIERIA	AL SAFEI	<u>y data</u>	<u>SHEEI</u>	Page: 3
=======================================	===== SECTIO	ON VIII - CONTRO	OL MEASURES	=======================================	========
REPIRATORY PROTECT	ION				
NONE REQUIRED UNDER NORMAL	USE.				
VENTILATION					
LOCAL AND MECHANICAL EXHAUS	T ARE ACCEPTABLE.				
PROTECTIVE GLOVES					
RUBBER, LATEX OR NEOPRENE.					
EYE PROTECTION					
SAFETY GLASSES/GOGGLES.					
OTHER PROTECTIVE CL	OTHING OR EQ	QUIPMENT			
EYEWASH/SHOWER.					
WORK/HYGIENIC PRAC	TICES				
WASH CONTAMINATED CLOTHING I	BEFORE REUSE.				
	====== SI	ECTION IX - DIS	CLAIMER ====		

THIS INFORMATION IS TO THE BEST OF OUR KNOWLEDGE AND BELIEF ACCURATE AS OF THE DATE COMPILED. HOWEVER, NO REPRESENTATION OR GUARANTEE IS MADE AS TO ITS ACCURACY, RELIABILITY OR COMPLETENESS.